## The Annual Consumer Confidence Report on the Quality of Drinking Water

## Naval Air Station Patuxent River, Maryland PWSID 0180022

## Reporting Period and Water Testing for 2013

#### Introduction

This is an annual report on the quality of drinking water delivered by Naval Air Station (NAS) Patuxent River. Under the "Consumer Confidence Reporting Rule" of the federal Safe Drinking Water Act (SDWA), community water systems are required to report this water quality information to the consuming public. Presented in this report is information on the source of our water, its constituents and the health risks associated with any contaminants.

#### **Water Ouality**

Last year, as in years past, your tap water met all U.S. Environmental Protection Agency (EPA) and state drinking water health standards. The NAS Patuxent River vigilantly safeguards its water supplies and once again we are proud to report that our system has not violated a maximum contaminant level (MCL) or any other water quality standard.

#### Source of NAS Patuxent River's Drinking Water

The NAS Patuxent River water being delivered to you is pumped from the *Piney Point-Nanjemoy*, *Patapsco*, and *Aquia* Aquifers, which are groundwater sources below St. Mary's County, Maryland. The recharge zone for these aquifers is a broad area—approximately 25-75 miles north and northeast from here. The water is chlorinated to ensure it is delivered safely to your building or residence.

#### **Special Precautions**

Some people may be more vulnerable to contaminants in drinking water than the general population. Immune-compromised persons, such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/Centers for Disease Control (CDC) guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminants are available from the Safe Drinking Water Hotline, at (800) 426-4791.

## Source Water Assessment and Availability

The Maryland Department of the Environment's (MDE) Water Supply Program has conducted a Source Water Assessment (SWA) for NAS Patuxent River. The susceptibility analysis of this report is based on a review of the existing water quality data for each water system, the presence of potential sources of contamination in the individual assessment areas, well integrity, and aquifer characteristics. It was determined that the NAS Patuxent River water supply is not susceptible to contaminants originating at the land surface due to the protected nature of the confined aquifers. The wells pumping from the Aquia aquifer are susceptible to naturally occurring arsenic. The susceptibility of the water to radon-222, a naturally occurring element, will depend on the final MCL that is adopted for this contaminant. Due to security risks, distribution and access to the SWA is restricted. For further information, you may contact the MDE Water Supply Program at (410) 537-3702.

## **Drinking Water and Contaminants**

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's (EPA) Safe Drinking Water Hotline, at (800) 426-4791. The sources of drinking water (both tap water and bottled water) include river, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity: microbial contaminants, such as viruses and bacteria, that may come from sewage treatment plants, septic

systems, agricultural livestock operations, and wildlife; inorganic contaminants, such as salts and metals, which can be naturally occurring or result from urban stormwater runoff, industrial, or domestic wastewater discharges, oil and gas production, mining, or farming; pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm water runoff, and residential uses; organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations, urban stormwater runoff, and septic systems and radioactive contaminants, which can be naturally occurring or be the results of oil and gas production and mining activities. In order to ensure that tap water is safe to drink, EPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems. Food and Drug Administration (FDA) regulations establish limits for contaminants in bottled water that must provide the same protection for public health.

## Additional Information for Arsenic, Disinfectants, Lead and Copper and Sodium

Arsenic above 5 up through 10 parts per billion (ppb): While your drinking water meets EPA's standard for arsenic, it does contain low levels of arsenic. EPA's standard balances the current understanding of arsenic's possible health effects against the cost of removing arsenic from the drinking water. EPA continues to research the health effects of low levels of arsenic, which is a mineral known to cause cancer in humans at high concentrations, and is linked to other health effects such as skin damage and circulatory problems. Arsenic above 10 ppb: Some people who drink water containing arsenic in excess of the maximum contaminant level (MCL) over many years could experience skin damage or problems with their circulatory systems, and may have an increased risk of getting cancer.

Your water is treated by disinfection. Disinfection involves the addition of Sodium hypochlorite as a disinfectant to kill dangerous bacteria and microorganisms that may be in the water. Disinfection is considered to be one of the major public health advances of the 20th century.

Sodium does not have a federal MCL however; the EPA has set a recommended sodium level of 20 mg/L for people who are on a *physician-prescribed* "no salt diet". This is a very stringent level. For comparison purposes, regular milk has a sodium concentration of approximately 500 mg/L. Sodium is a natural occurring component of water, and high levels can give the water a salty taste. The concentration of sodium in water supplies may vary from a few to several hundred milligrams per liter. The sodium levels on base ranged from 43 to 62 mg/L. The information here is being provided for those persons on a strict low-sodium diet who should consult their physician or a registered dietician to plan a healthy diet that reduces the sodium content in their total food intake. More information can be found on the EPA website at http://www.epa.gov/ogwdw/ccl/sodium.html.

Lead and Copper sampling is required for all community and nontransient noncommunity water systems. NAS Patuxent River is required to sample for lead and copper every three years. Lead enters drinking water mainly from the corrosion of lead-containing plumbing. All water is corrosive to metal plumbing materials to some degree. Infants and young children are typically more vulnerable to lead in drinking water than the general population. It is possible that lead levels at your home may be higher than at other homes in the community as a result of materials used in your homes plumbing.

Copper contamination generally occurs from the corrosion of household plumbing. Copper is an essential nutrient, required by the body in small amounts. However, copper can cause the following health effects: Stomach and intestinal distress, liver, and kidney damage, and anemia. Persons with Wilson's disease may be more sensitive than others to the effects of copper contamination. An action level is a level, when the water is sampled, that ninety percent (90%) of your samples must be below (90th percentile). If the action level is exceeded, then further action is triggered. The Lead Action Level is fifteen parts per billion (15ppb). The copper action level is one and three tenths milligrams per liter (1.3 mg/l).

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. The NAS Patuxent River Public Works Department is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your drinking water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the EPA Safe Drinking Water Hotline at 1-800-426-4791 or at http://www.epa.gov/safewater/lead.

# **Water Quality Data Table**

The following tables present the results of our monitoring for the reporting period of calendar year 2013. The EPA or the State requires—us to monitor for certain contaminants less than once per year because the concentrations of these contaminants do not change frequently. Some of our data, though representative, are more than one year old because of this monitoring frequency. It is important to—note that these detected contaminants are at levels **BELOW** the allowable maximum contaminant level (MCL), which is determined safe—by the EPA, unless data show the standard was exceeded. The presence of contaminants in the water does not necessarily indicate that—the water poses a health risk.

	MCLG	MCL,						
	or	TT or	Your	Ra	nge	Sample		Typical
<u>Contaminates</u>	<u>MRDLG</u>	MRDL	Water	Low	High	<u>Date</u>	<u>Violation</u>	<u>Source</u>
Disinfectants & Dis	infectant By	-Products						
(There is convincing	(There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.)							ninants.)
								By-product of drinking
*Haloacetic Acids								water disinfection Stage
(HAA5) (ppb)	N/A	60	0.66	ND	1.2	2013	No	I
								By-product of drinking
*Haloacetic Acids								water disinfection Stage
(HAA5) (ppb)	N/A	60	0	ND	ND	2013	No	II
*TTHMs (Total)								By-product of drinking
(Trihalomethanes)								water disinfection Stage
(ppb)	N/A	80	3.53	2.5	2.9	2013	No	I
*TTHMs (Total)								By-product of drinking
(Trihalomethanes)								water disinfection Stage
(ppb)	N/A	80	2.65	2.5	4.3	2013	No	II

<sup>\*</sup> Note: On October 1, 2013, our system transitioned from the Stage 1 Disinfection Byproducts (DBP) Rule to the Stage 2 DBP Rule; the Stage 2 DBP Rule has different monitoring and reporting requirements than the Stage 1 DBP Rule. Stage 1 DBP data shown above (for Total Trihalomethanes (TTHM) and Haloacetic Acids (HAA5)), reflect the system-wide averages of each contaminant group, and the detected ranges for the system, from the first three quarters of 2013. The Stage 2 DBP data shown above reflect the range of monitoring results from all Stage 2 TTHM and HAA5 monitoring locations from the fourth quarter of 2013. Subsequent consumer confidence reports will include only Stage 2 DBP Rule

Inorganic Contaminants								
Arsenic (ppb)	0	10	5.6	2	9.7	2013	No	Erosion of natural deposits; runoff from orchards, glass, and electronics production waste from orchards, glass, and electronics production waste
Fluoride (ppm)	4	4	0.523	0.4	0.66	2013	No	Erosion of natural deposits; Water additive which promotes strong teeth; Discharge from fertilizer and aluminum factories
	Radioactive Contaminants							
Beta/photon emitters (pCi/L)	0	50	6.1	5.1	9.2	2012	No	Decay of natural and man- made deposits. The EPA considers 50 pCi/L to be the level of concern for Beta particles
Gross Alpha (pCi/L)	0	15	2	2	2	2013	No	
Unregulated Contaminates								
Dibromochlorom ethane (ppb)	N/A	N/A	1.24	0.5	1.9	2013	No	

Bromodichloro methane (ppm) Sodium (ppm) Nickel (ppm) Chloroform ((ppm)	N/A N/A N/A	N/A N/A N/A N/A	1.6 62 .74 5.8	0.5 20 ND 0.5	2.5 75 .222 15.8	2013 2013 2013 2013	No No No	
<u>Contaminates</u> Inorganic Conta	MCLG minants	<u>AL</u>	Your <u>Water</u>	Sample	<u>Date</u>	# Sample Exceedin AL		Typical <u>Source</u>
Copper action level at consumer taps (ppm) 90 <sup>th</sup> percentile	1.3	1.3	0.69 mg/L	2013 site sampl	s	0	No	Corrosion of household plumbing systems; Erosion of natural
Lead - action level at consumer taps (ppb) 90th percentile	0	15	0 ug/L	2013 site sampl	s	0	No	Corrosion of household plumbing systems; Erosion of natural deposits

No Notice of Violations for 2013.

<b>Unit Descriptions</b>	
Term	Definition
ppm	ppm: parts per million, or milligrams per liter (mg/L)
ppb	ppb: parts per billion, or micrograms per liter (µg/L)
pCi/L	pCi/L: picocuries per liter (a measure of radioactivity)
NA	NA: not applicable
ND	ND: Not detected
NR	NR: Monitoring not required, but recommended.

Important Drinking Water Definitions	
Term	Definition
MCLG	MCLG: Maximum Contaminant Level Goal: The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.
MCL	MCL: Maximum Contaminant Level: The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.
TT	TT: Treatment Technique: A required process intended to reduce the level of a contaminant in drinking water.
AL	AL: Action Level: The concentration of a contaminant, which, if exceeded, triggers treatment or other requirements, which a water system must follow.
Variances and Exemptions	Variances and Exemptions: State or EPA permission not to meet an MCL or a treatment technique under certain conditions.

MRDLG	MRDLG: Maximum residual disinfection level goal. The level of a drinking water
	disinfectant below which there is no known or expected risk to health. MRDLGs do not
	reflect the benefits of the use of disinfectants to control microbial contaminants.
MRDL	MRDL: Maximum residual disinfectant level. The highest level of a disinfectant
	allowed in drinking water. There is convincing evidence that addition of a disinfectant is
	necessary for control of microbial contaminants.
MNR	MNR: Monitored Not Regulated
MPL	MPL: State Assigned Maximum Permissible Level

## **Water Conservation Tips**

Water conservation measures are an important first step in protecting our water supply. Such measures can save the supply of our source water. Here are a few suggestions:

Conservation measures you can use inside your home:

- Fix Leaking faucets, pipes, toilets, etc.
- Replace old fixtures; install water-saving devices in faucets, toilets, and appliances
- Wash only full loads of laundry
- Do not use the toilet for trash disposal
- Take shorter showers
- Do not let the water run while shaving or brushing teeth
- Soak dishes before washing
- Run the dishwasher only when full

You can conserve outdoors as well:

- Water the lawn and garden in the early morning or evening
- Use mulch around plants and shrubs
- Repair leaks in faucets and hoses
- Use water saving nozzles
- Use water from a bucket to wash your car, and save the hose for rinsing

Additional information on other ways to help you conserve water can be found at <a href="https://www.epa.gov/safewater/publicoutreach/index.html">www.epa.gov/safewater/publicoutreach/index.html</a>.

#### **Public Involvement**

The Naval Air Station Patuxent River works diligently to provide top quality drinking water to every tap. As residents, employees, and caretakers here, please help us protect our water sources. We welcome your suggestions to help maintain our high quality level of drinking water as well as to conserve water throughout the Station. If you have questions or concerns please call or email the Naval Facilities Engineering Command, Public Works Department, Environmental Compliance Division. The Safe Drinking Water Program point of contact is: Mr. Lance McDaniel, Environmental Director, at (301) 757-2903, Lance. McDaniel@navy.mil.